

Subject Index

A

ABC (*see* Activity-based costing)
 ABS (acrylonitrile butadiene styrene) 42, 85, 93, 99
 Accessibility 17, 96, 228
 ACO (*see* Ant colony optimization)
 Activity-based costing (ABC) 96
 Acyclic tour (*see* Long tour)
 Adaptiveness 331
 Added value 108
 Adhesion 173
 Adhesive tape 77
 Adjacency graph (*see* Surface adjacency graph)
 AFI (*see* Assembly from industry)
 Agent 389
 Aggregate counter 321
 Aggregate flow variable 311, 321
 Aggregation 101
 AI (*see* Artificial intelligence)
 Air classification 33
 Algorithm 13, 376, 382, 390
 Aluminum (Al) 30, 56, 61–66, 85, 109
 Ancillary equipment 109
 Ancillary materials 27
 AND/OR graph 131, 135, 138, 139, 147, 149, 151, 157–158, 169, 170, 287–327
 assembly 184
 concise 125
 layered 132, 194–196
 AND/OR relationship 238
 complex 200–202
 AND relationship 124, 157, 207, 254, 307
 Ant colony 12, 389–395
 Ant colony optimization (ACO) 389–395
 Antimony (Sb) 42, 64, 66, 67
 Appraisal level (*see* Target value)
A priori module 261
 Arc 293
 Archimedean approach 353
 Arsenic (As) 64, 67
 Artificial intelligence (AI) 7
 Asbestos 9, 67, 84
 Ascending counter 320
 Asphalt 48

ASR (*see* Automotive shredder residue)
 Assembly
 AND/OR graph 184
 history of 3–10, 32
 reverse 174, 278
 Assembly from industry 190–197
 Assembly industries 32
 Assembly line 3, 373, 377
 moving 5
 Assembly line balancing 8, 120, 206
 Assembly optimization 168
 Assembly oriented design 6, 10, 84
 Assembly planning 8, 12, 271
 backward 119
 Assembly precedence diagram 120
 Assembly scheduling 12
 Assembly sequence 173
 Assembly sequencing 8
 Assembly tree 174
 Asymmetric approach 139, 163, 227
 Atomic part (*see* Component)
 Audio equipment 52, 53
 Autocatalytic process 389
 Automated derivation of selection rules 237–239
 Automated sorting 33
 Automation 5, 10
 Automotive shredder residue (ASR) 9, 49, 56, 57, 110

B

Backward assembly planning 119
 Balance, perfect 378
 Balancing
 assembly line 8, 120, 206
 disassembly line 121, 301, 373–369
 Balancing function 379
 McGovern-Gupta 379, 390
 Balancing node 322
 Barium (Ba) 63, 64, 66, 67
 Batch level 10, 11
 Battery 43, 44, 57, 65, 67, 85, 99, 110
 Bayesian network 12
 Bell, Eric Temple 127

406 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

- Bellman's principle 290
 Bell number 127, 160, 162, 163
 Beryllium (Be) 64
 Biconnected graph 264–266
 disconnection 266
 Bill of materials (BOM) 324, 331
 BILP (*see* Binary integer linear programming)
 Bin 15, 304–308
 Binary disassembly operation 129
 Binary integer 288, 290, 295, 296, 300
 Binary integer linear programming (BILP) 13,
 312, 331
 Binary notation 172
 Binomial coefficient 126, 159, 161
 Binomial transform of Catalan numbers 151, 165
 Bismuth (Bi) 64
 Blending 304–306
 Block 127
 Bolt 75, 77
 BOM (*see* Bill of materials)
 Boolean algebra 170, 238
 Boron (B) 67
 Boundary representation (B-rep) 229
 Bourjault's ballpoint 171
 Bourjault's tree 123, 173, 175, 330
 Brass 42
 Breaking 91
 B-rep (*see* Boundary representation)
 Brick 48, 49
 Bridge 270
 Bromine (Br) 66
 Brown goods 50, 52, 60–62
 Bulk recycling 37–41, 44, 85, 86, 109
 Bundler 77, 91
 Bundling connection 75
 Byproduct 4, 26
- C**
- Cables 43, 51, 63, 65, 85
 CAD (*see* Computer aided design)
 CAD/CAM 228
 Cadmium (Cd) 30, 64, 66, 67, 84, 99, 109
 CAM (*see* Computer aided manufacturing)
 Camera 230
 Capacitor 60, 62, 64
 Capacity
 of bulk recycling plant 39–40
 Capacity constraint 40
 Car 9, 44, 46, 49–50, 55–59, 109–111
 Carpenter's approach 255
 Carpet 46
 Cartesian coordinates 233–234
 Cascading 18, 30–31
 Case-based reasoning 206, 260, 261
 Cassette deck 61
 Cast iron 57
 Catalan, Eugène Charles 149
 Catalan numbers 149, 160, 165
 binomial transform of 151, 165
 Cathode ray tube (CRT) 6, 44, 50, 51, 60, 62–65,
 94
 Cavity 245
 Ceil operation 331, 380
 Cell phone (*see* Mobile phone)
 Central processing unit (CPU) 360, 361
 Central projection 233
 Ceramics 34, 63, 64, 85
 CFC (chlorofluorocarbon) 9, 61, 67, 108
 Chaplin, Charlie 5
 Child subassembly 90
 Chlorine (Cl) 66, 67
 Chromium (Cr) 64, 66, 67, 109
 Class 356
 hard 356
 soft 356–357
 Class function 356–357
 Cleaning 344
 Closed directed path 259
 Cluster 17
 Cluster graph (*see* Modularity graph)
 Clustering 304–308
 CNC (*see* Computerized numerical control)
 Coatings 56, 110
 Cobalt (Co) 64
 Coffee machine 60, 230
 Collision 15, 236
 Collision-free direction 236
 Combinatorial analysis 127, 388, 391
 Combinatorial explosion 169
 Combined graph 209, 210
 Combined selection rules 200
 Commonality 330–331, 350, 359
 Comparative modeling 37
 Compatibility matrix 305
 Compatible materials 304–305
 Complementary triplet 188, 193, 199, 204
 Complete disassembly 132–136, 149, 341, 375, 385
 Completeness 188
 Complete sequence 156, 158
 Complex AND/OR relationship 200–202
 Complex component 36, 51, 60, 74, 85
 Complex product 4, 31–37, 73
 Complexity
 index of 140, 154
 Component 14, 73
 complex 36, 51, 60, 74, 85
 composite 74
 core 265

Subject Index

407

- dynamic 139
- hazardous 36, 85, 109, 373, 376, 378, 388, 390
- homogeneous 34, 74, 85
- mass distribution 77–83
- oriented approach 88, 123, 124
- peripheral 155, 265
- quasi 15, 77, 87, 194
- static 139
- target 256
- virtual 77, 245
- Component analysis 54
- Component disassembly optimization model 331
- Component level 10, 11
- Component-oriented approach 88, 123, 124
- Component-oriented interference matrix 246
- Component-oriented state diagram 123, 124
- Component recovery 255–257
- Component removal time 382, 385
- Composite component 74
- Composite material 33, 84
- Compound material 33
- Computer aided design (CAD) 5, 6
- Computer aided manufacturing (CAM) 6
- Computerized numerical control (CNC) 5
- Concise AND/OR graph 125
- Concrete 48, 49, 60, 61
- Concurrent engineering 6, 7
- Connection 15, 73, 74, 88
 - disestablishment of 15, 90
 - firm 267, 275
 - floating 275
 - loose 267
 - nonreversible 36
 - pseudomatrix 246
 - reliable 271
 - reversible 271
 - rigid 275
 - unreliable 271
 - virtual 15
- Connection diagram 12, 86–88, 95, 153, 171, 190, 204, 267
 - constrained 219–222
 - extended 87, 246
 - minimal 87
 - modified 269
 - reduced 87
 - weighted 95, 262–263
- Connection-oriented approach 88, 95, 123, 176–178
- Connection-oriented selection rules 173
- Connection-oriented state diagram 124, 289
- Connection pseudomatrix 246
- Connection state 124, 126–128, 144, 162
- Connectivity matrix 87, 88, 125, 153, 264
 - directed 247–251
- Connector 44, 51, 65, 85, 91
- Constrained connection diagram 219–222
- Constrained asymmetric TSP 313–314
- Constraint
 - geometric(al) 89, 125, 153–158, 157, 173, 303
 - hard 169
 - indirect 278
 - soft 169
 - technical 156, 167, 168, 173, 183–185
 - topological 155, 156, 167
- Construction waste 46, 47–49
- Consumption 27
- Container (*see* Bin)
- Contamination 34, 49, 96, 110, 305
- Contracted interference matrix 252, 279
- Contraction
 - of interference graph 260
- Convergence 27, 373
- Convexity parameter 358
- Conveyor 4
 - moving 4
- Cookery 45, 59
- Cooling agent 110
- Cooling equipment 9
- Coordinates
 - Cartesian 233–234
 - spherical 234
- Copier 324–327
- Copper (Cu) 30, 40, 42, 56, 61–66, 85, 86
- Core component 265
- Core module 265
- Corruption 96
- Cost 41, 102, 105, 298
 - disassembly 96
 - disposal 335, 344
 - fixed 93, 97
 - grinding 44
 - incineration 45
 - labor 41, 96, 97
 - landfill 45
 - operation 291
 - overhead 97
 - preparation 343
 - sequence-dependent 308–313
 - sequence-independent 289–308
 - shredding 44
 - storage 44, 344
 - subassembly 291
 - transportation 44, 344
 - variable 93, 97
- Cost matrix 316, 321
- Cost metrics 93–97
- Cotter pin 75, 77, 91
- Counter
 - aggregate 321
 - ascending 320

408 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

descending 320
 partial 321
 CPM (*see* Critical path method)
 CPU (*see* Central processing unit)
 CPU time 12, 323, 324
 Critical path method (CPM) 120
 CRT (*see* Cathode ray tube)
 CRT glass 42, 51, 60, 62, 65, 86
 Crushing 91
 Cumulative disassembly time 111
 Customer satisfaction 364
 degree of 360
 Cut-node 264–265
 Cut-set 88, 89, 128, 129, 144, 145, 162,
 241–244
 feasible 189, 191, 193, 199–200, 206
 parallel 180
 Cut-set method 176–190
 Cutting 91
m-Cycle 315
 Cycle 259
 in TSP (*see* Short tour)
 Cycle efficiency 30
 Cycle time 377
 Cyclic solution (*see* Short tour)
 Cyclic tour (*see* Short tour)

D

2-D (two-dimensional) 154
 2-D example 185, 197–200, 208, 221, 229
 3-D (three-dimensional) 170, 202–206
 Damage 382
 Deadlock 119, 170, 172
 Decision-maker (DM) 288, 342, 353
 Decision support system 7
 Defect 374, 375, 375
 Deformation 75, 77, 90
 Degree of freedom 128
 Degree of node 264
 Degree of quality achievement 360
 De Gribeauval, Jean-Baptiste 4
 DEI (*see* Disassembly effort index)
 Demand 261, 330–336, 334, 378, 382, 393
 Demand measure 381, 391
 Demand vector 334
 Dematerialization 6, 51
 Demolition waste 46, 47–49
 Depletion 29, 100
 Descending counter 320
 Design 5
 Design for assembly (DfA) 6, 10, 84
 Design for disassembly (DfD) 28, 41, 83–85
 Design for life cycle 10, 28, 109

Destruction 76
 virtual 239
 Destructive disassembly 239, 341, 345–346
 cost 291
 Destructive operation 91
 Detachability 17, 74, 167, 227, 236–238, 248, 257
 Detachment 15, 302
 Development time 6
 Deviation variable 342
 negative 342
 positive 342
 DfA (*see* Design for assembly) 6, 10, 84
 DfD (*see* Design for disassembly) 28, 41,
 83–85
 Diamond diagram 124
 Diazo compounds 67, 85
m-Dimensional product, motional 229
 Direct labor 96
 Directed connectivity matrix 247–251
 Directed graph 121, 124, 175, 259, 276–278
 Directed path
 closed 259
 Directed task precedence graph 313–314
 Direction
 collision-free 236
 disassembly 84, 232–235
 extreme 233–234
 Direction factor 308–309
 Direction of motion
 principal 234, 240
 Direction-oriented analysis 227, 240–258
 Directionality index 263
 Disappearing work-piece (DWP) 375
 Disassemblability
 m-disassemblability 185, 186, 188, 197–200,
 221, 241
 Disassembly 16
 complete 132–136, 149, 341, 375, 385
 destructive 239, 341, 345–346
 end-of-life 34
 history of 3–10
 incomplete 16, 111, 136–139
 nondestructive 15, 341, 345–346
 parallel 147, 241
 as a production process 7
 reverse 168, 171
 selective 16, 36, 56, 109, 341, 375
 sequential 121, 310
 single-component 375
 Disassembly cost 96
 Disassembly depth 16, 32, 40, 57, 102, 111, 136,
 258
 Disassembly direction 84, 232–235
 principal 234
 Disassembly effort index (DEI) 96

Subject Index

409

- Disassembly family 50
 - Disassembly line 3, 373, 377
 - moving 5
 - paced 378
 - Disassembly line balancing problem (DLBP) 121, 301, 373–369
 - human-operated 91, 92
 - robot-operated 9, 91, 93
 - Disassembly matrix
 - in the binary system 258
 - in the decimal system 258
 - Disassembly operation 88, 167, 170
 - binary 129
 - m*-fold 132
 - ternary 131, 132, 208
 - Disassembly-oriented approach 262
 - Disassembly path 15, 232, 236
 - Disassembly Petri net 293
 - Disassembly planning 12
 - Disassembly precedence graph (DPG) 120–122, 170, 173, 206–219, 255, 313, 327–329
 - construction of 214
 - divergent 212
 - partially ordered 207, 209
 - totally ordered 207, 209
 - Disassembly precedence matrix (DPM) 214, 253–255, 384
 - reduced 254
 - Disassembly process 16
 - Disassembly sequence (DS) 8, 16, 96, 102, 103, 310
 - Disassembly sequencing 12
 - Disassembly task 89, 374, 377
 - preparatory 15
 - proper 15
 - Disassembly time 95, 96, 97, 105, 378, 384
 - cumulative 111
 - Disassembly to order (DTO) 168, 330–336, 341–370
 - Disassembly tree 122–123, 175
 - ordered 122
 - Discharge 17, 26, 27, 101
 - Discrete time approach 295
 - Discretization 235
 - Disestablishment of connection 15, 90
 - Dishwasher 45, 50, 60
 - Dismantling 16, 51, 87
 - selective 32
 - Dismounting (*see* Dismantling)
 - Disposal 17, 26, 27, 343
 - costs 335, 344
 - Distance
 - between sequences 215
 - between tours 386–387
 - Distributed agents 12
 - Divergence 26, 92, 373
 - Divergent disassembly precedence graph 212
 - Division of labor 4
 - DLBP (*see* Disassembly line balancing problem)
 - DM (*see* Decision maker)
 - Double factorial numbers 163
 - Downcycling 18, 31
 - DPG (*see* Disassembly precedence graph)
 - DPM (*see* Disassembly precedence matrix)
 - Draining 9, 90, 109, 110
 - Drill 91
 - electric 230
 - Drilling 76
 - Dryer 45, 50
 - DS (*see* Disassembly sequence)
 - DTO (*see* Disassembly to order)
 - DWP (*see* Disappearing work-piece)
 - Dynamic component 139
 - Dynamic programming 290
 - Dynamic subassembly 90, 133, 277
- E**
- Early leaving work-piece (EP) 374–375
 - EC (European Communities) 9, 109
 - Eco-eco (economical-ecological) models 108–109
 - Eco-indicator 101
 - Ecology, industrial 23–31
 - Economic optimization 102–108
 - Ecopoint method 108
 - Ecosystem 24
 - Eddy current separation 17, 33, 109, 110
 - Elasticity 167
 - Electric drill 230
 - Electric motor 51, 60, 64, 65
 - Electric products 46, 50, 59–67
 - Electron gun 60, 65, 336
 - Electronic entertainment products 40, 45, 50, 110
 - Electronic products 46, 50, 59–67
 - Electrostatic separation 33
 - Elemental analysis 54, 62, 64–66
 - Embedded software, 6
 - Emission 26, 101
 - Empty state 175
 - End-of-life (EOL) 341, 359
 - End-of-life disassembly 34
 - End-of-life option 100
 - End-of-life product 4, 9, 18, 32, 41, 51–54
 - End-of-life processing 9
 - End-of-pipe measure 24
 - Energy 9, 17, 23–26, 29
 - Energy flow 27
 - Engine 58

410 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

Engine block 44
 remanufactured 110
 single-piston 202–206
 Entertainment products, electronic 40, 45, 50,
 110
 Environmental benefit 98–101, 367
 degree of 359
 Environmental damage 367
 degree of 359
 EOL (*see* End-of-life)
 EP (*see* Early leaving work-piece)
 Europium (Eu) 64, 67
 Evaporation 390
 EWP (*see* Exploding work-piece)
 Exact method 13, 311–330
 Exclusive OR relationship 156, 296, 319
 Expert system 7
 Exploding work-piece (EWP) 375
 Exportation of waste 41
 Extended connection diagram 87, 246
 External force 168, 171, 228, 274–275
 Extraction 26, 27, 46
 Extreme direction 233–234

F

Fabric 33, 56
 Face contact 245
 Factorial number 164
 quadruple 140, 164
 Fastened group 271
 Fastener 6, 15, 55, 75, 77, 95, 190
 as quasi components 194, 197
 Fastener-oriented method 266–267
 Feasible cut-set 189, 191, 193, 199–200, 206
 Feasible subassembly 192, 198–199, 205
 Fee 8, 41
 Feedstock 27, 28
 Ferrous material 40, 42, 56, 59–62, 65
 FFD (*see* First-fit decreasing)
 Filter residue 17, 34
 Final state 16, 127, 156, 290, 295
 Firing 294
 Firing vector 295
 Firm connection 267, 275
 First-fit decreasing (FFD) 382
 Fishbone notation 123
 Fixed cost 93, 97
 Fixture 15, 89, 90, 96, 228
 Flame-retardant 41, 67
 Flatscreen 44
 Flexibility 91, 377
 Floating connection 275
 Flow diagram 18, 37–39

Flow variable 295
 aggregate 311, 321
 partial 311, 321
 Flow vector 333
 Fluorescent 64, 65
 Foam 42, 61
 Fold 91
m-Fold disassembly operation 132
 Force 76, 92, 95, 96, 167, 168
 external 168, 171, 228, 274–275
 internal 276
 Force-flow analysis 228, 279–280
 Force-flow diagram 280
 Ford, Henry 4
 Fordism 4, 5
 Free surface 230, 245
 Freedom
 degree of 128
 Freedom matrix 246, 270
 Freezer 60
 Friction 90, 120, 167, 275
 Function
 integration of 6
 Functional analysis 262, 267–269
 Functional relationship 272–273
 Functionality 14
 metrics 272–273
 Furniture 46, 47
 Fuzzy logic 12

G

Gallium (Ga) 64, 67
 Gaussian circle 230
 Gaussian sphere 231, 232, 274
 Gearbox 58, 65, 210–212
 Genetic algorithm 12, 318
 Geometric(al) constraint 89, 125, 153–158, 157,
 173, 303
 Germanium (Ge) 64, 67
 Glass 33, 42, 56, 59–65, 85
 CRT 42, 51, 60, 62, 65, 86
 neck glass 6, 65
 Global warming potential (GWP) 100
 Glue connection 76, 91
 Goal programming (GP) 342, 349
 Gold (Au) 40, 42, 64, 66
 Good enough (*see* Suboptimum)
 GP (*see* Goal programming)
 Gramophone 60
 Graph
 adjacency 245
 AND/OR 131, 135, 138, 139, 147, 149, 151,
 157–158, 169, 170, 287–327
 biconnected 264–266

Subject Index

411

combined 209, 210
 directed 121, 124, 175, 259, 276–278
 modularity 271–272
 transitive 212
 undirected 86, 216, 245
 Graph theory 171
 Graphical optimization method 291
 Gravity 90, 121, 228, 274–275
 Great circle 233
 Greedy strategy 382, 383–388, 394
 Grey goods 50, 52, 53, 61
 Grinding 17, 33, 77
 costs 44
 Gripping 15, 90, 92, 228, 245, 277, 311
 Gun (in CRT) 60, 65, 336
 GWP (*see* Global warming potential) 100
 Gypsum 49

H

Hair dryer 230
 Hard class 356
 Hard constraint 169
 Hazard measure 380, 387, 391
 Hazardous components 36, 85, 109, 373, 376,
 378, 388, 390
 Hazardous materials 34, 36, 41, 51, 110, 305
 in electronic products 66–67
 Hazardous modules 36
 Hazardous waste 34, 37, 45, 104, 305
 Heavy metals 41, 67, 100
 Hemisphere 231
 Heuristic method 12, 95, 170, 245, 258, 265, 275,
 308–313, 381–389
 Hierarchical tree 18, 19, 92, 94, 142, 330–336, 350
 History of assembly 3–10, 32
 History of disassembly 3–10
 Homogeneous component 34, 74, 85
 House 49, 55, 331
 Human-operated disassembly line 91, 92
 Hybrid approach 170
 Hyper-arc 124
 Hyper-graph 124

I

ICT (*see* Information and communication
 technology) 53
 Idle time 378, 379, 382, 384
 Impact assessment 100
 Incineration 17, 98, 100
 costs 45
 Incomplete disassembly 16, 111, 136–139
 Incomplete sequence 150–151, 156, 158

Index of complexity 140, 154
 Indifference curve 356
 Indirect constraint 278
 Indirect selection-rules 237
 Indium (In) 30, 64, 67
 Inductive reasoning 150
 Industrial ecology 23–31
 Industrial standard 4
 Industrial waste 36, 74
 Infeasibility 122, 179, 199
 Information 5
 Information and communication technology
 (ICT) 53
 Initial configuration 294
 Initial state 16, 295
 Integer linear programming 37, 330
 (0, 1) Integer-programming (*see* Binary integer
 linear programming)
 Integration of functions 6
 Interaction matrix 273
 Interchangeability 4
 Interference graph 259–260
 Interference matrix 167, 251
 component-oriented 246
 contracted 252, 279
 modified 278–279
 Intermediate state 128
 Internal force 276
 Iodine (I) 30
 Iron (Fe) 64, 66, 85
 cast 57
 Irreversibility 90
 ISO 14040 99
 Isothetic 229
 motional 229
 Iterative method
 in calculating number of sequences 208–212
 in optimization 316–319

J

JIT (*see* Just-in-time)
 Joint (*see* Connection)
 Joint type change factor 309
 Just-in-time (JIT) 5, 7

K

Keyboard 44, 61, 62

L

Labor
 direct 96
 division of 4

412 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

- Labor cost 41, 96, 97
 Lagrangian relaxation 313
 Landfill 9, 17, 36, 98–100
 costs 45
 Large white goods 50, 52, 53, 62
 Larger is better 357, 361
 Laser separation 33
 Layered AND/OR graph 132, 194–196
 LCA (*see* Life cycle assessment)
 LCD (*see* Liquid crystal display)
 LE (*see* Line efficiency)
 Lead (Pb) 30, 41, 42, 56, 63, 64, 66, 67, 109
 Leaf 18, 142, 260, 332–336
 Lean production 5, 7
 Legislation (*see* Regulation)
 Level 172
 Liaison (*see* Connection)
 Liaison graph (*see* Connection diagram)
 Life cycle
 design for 10, 28, 109
 Life cycle assessment (LCA) 28, 99–101
 Lifetime 53
 Light metals 40
 Line contact 245
 Line efficiency (LE) 378
 Line speed 374, 383
 Linear physical programming (LPP) 342, 353–370
 Linear programming (LP) 13, 37, 159, 275, 293–299, 331, 342, 349, 358
 binary integer 13, 312, 331
 Link (*see* Connection)
 Liquid crystal display (LCD) 6, 51, 54, 67, 85, 86
 Local optimum 382, 388, 391
 Local search algorithm, 2-opt 386–389
 Lock 91, 128
 Lock connection 75
 Logarithmic number 318
 Logistics 25
 reverse 336
 Long tour 317–318
 Loose connection 267
 Loop 140, 144, 260
 recycling 29, 100
 Loop-closure rule 177
 Lot-size balancing 330–331, 341
 LP (*see* Linear programming)
 LPP (*see* Linear physical programming)
 LPP weight algorithm 356
- M**
- Machining planning 271
 Maintenance 7, 17, 119, 302
 Magnetic separation 17, 33, 109, 110
 Management, scientific 4
 Manganese (Mn) 64, 66
 Manual sorting 33
 Manufacturing industries 32
 Manipulability 95
 Market-oriented approach 261
 Mass distribution 77–83
 Mass flow 27
 Mated surface 230
 Materials
 ancillary 27
 compatible 304–305
 composite 33, 84
 compound 33
 hazardous 34, 36, 41, 51, 110, 305
 primary 28, 100
 raw 26, 27, 29
 secondary 28–30, 35–36, 39, 51, 100–101
 valuable 36, 51
 Materials analysis 54, 85–86
 Materials breakdown analysis (*see* Materials analysis)
 Materials composition 104
 Materials purity 36, 41, 304
 Materials requirements planning (MRP) 7, 288, 331
 Materials separation 9
 Mathematical programming (MP) 37, 41, 103, 288–289, 304, 308, 314, 342
 Mating 15, 75, 91
 Matrix-based modularity analysis 270–271
 Matrix of half degrees 246
 Mattress 46
 Maximum parallelism 261, 274, 296, 301–302
 Maynard operations sequence technique (MOST) 95
 McGovern-Gupta balancing function 379, 390
 Measure of balance (*see* Balancing function)
 Mechanical approach 18, 330
 Mechanical products 46, 81, 84, 95, 222, 263
 Medical equipment 53
 Melting 91
 Mercury (Hg) 41, 64, 67, 85, 109
 Merging 189, 191, 197, 265, 323
 Mesh (*see* Loop)
 Mesh-closure rule (*see* Loop-closure rule)
 Metaheuristic method 12, 273, 313, 389–395
 Miniaturization 6, 51
 Minimal connection diagram 87
 Minimum subassembly 255
 Mining, *see* Extraction
 Mixed-integer programming (MIP) (*see* Integer linear programming)
 Mobile phone 51, 62

Subject Index

413

- Modified connection diagram 269
 Modified interference matrix 278–279
 Modified TSP 319
 Modular level 11
 Modularity analysis 11, 228, 261–274
 matrix-based 270–271
 Modularity graph 271–272
 Module 15, 36, 95, 98, 109, 120, 261
 core 265
 hazardous 36
 peripheral 265
 tentative 262, 267
 Monitor 45, 52, 61, 78, 79, 82, 85, 92, 94, 336
 MOST (*see* Maynard operations sequence technique) 95
 Motion
 rotational 236, 248, 276
 translational 236, 248
 Motion analysis 244–251
 Motion diagram 244, 249, 251
 Motional m -dimensional product 229
 Motional isothetic 229
 Mould 76, 91
 Moveability 74, 167, 227, 230–232, 237, 238, 248
 m -moveability 128, 167
 Moving assembly line 5
 Moving conveyor 4
 Moving disassembly line 4
 MP (*see* Mathematical programming) 37, 41, 103, 288–289, 304, 308, 314, 342
 MRP (*see* Material requirements planning) 7, 288, 331
 Multiplicity 294, 330–331
 Multicriteria methods 342, 353
 Multiobjective problem 342, 353, 382
 Multiple objective problem (*see* multiobjective problem)
 Multiproduct case 334–336
 Municipal waste 34, 36, 45–47
 Must precede operator 169
- N**
- Nameable objects 229
 Near optimum (*see* Suboptimum)
 Neck glass 6, 65
 Neighboring tour 386–387
 Network 12, 14, 101, 119–159, 289–290, 296–299
 neural 12
 Neural network 12
 Nickel (Ni) 42, 56, 63–67, 85
 Nickel-metal hydride (Ni-MH) 65, 85
 Niobium (Nb) 64
 NLP (*see* Nonlinear programming)
 Node
 balancing 322
 degree of 264
 pendent 264
 Node equilibrium 315
 Noncontact coherent 132, 133
 Noncore (*see* Peripheral)
 Nondestructive disassembly 15, 341, 345–346
 Nondestructive operation 15
 Nondominated solution curve 356
 Nonferrous materials 33, 42, 49, 56, 57, 59–62, 85, 109
 Nonlinear DLBP 382
 Nonlinear programming (NLP) 13
 Nonlinearity 106
 Nonmonotone product 128, 167
 Nonreversible connection 36
 Notebook PC 50, 78–80, 82, 85
 Not until operator 169
 NP (nondeterministic polynomial-time)
 NP-complete 13, 14, 140, 288, 313
 NP-hard 376
 N-pattern 211
 Nut 75, 77, 91
 Nylon 85
- O**
- Object level 10
 Obstruction 15, 236, 238
 Obstruction component matrix 253, 256
 reduced 254
 Obstruction diagram 214, 240–243, 245, 259
 ODP (*see* Ozone depletion potential)
 OEM (*see* Original equipment manufacturer)
 One-at-a-time sequence (*see* Sequential sequence)
 Onion peeling 245
 Operation 15
 cost 291
 destructive 91
 nondestructive 15
 parallel 16, 89
 pseudo 297
 reversible 15
 semidestructive 16, 92
 semireversible 16
 sequential 16, 89, 195, 327
 Operation time 95
 Operator 169–175, 194, 208, 214, 278
 2-Opt local search algorithm 386–389
 Optimization 96, 168, 255, 287–290, 304, 312, 331, 389
 assembly 168

414 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

economic 102–108
 graphical method for 291
 Optimum, local 382, 388, 391
 OR relationship 125, 207
 Ordered disassembly tree 122
 Ordering, reverted 216
 Ore mining 28, 46
 Original equipment manufacturer (OEM) 5
 Orthogonal set 167
 Outsourcing 40
 Overhead cost 97
 Ozone depletion potential (ODP) 100

P

PA (polyamide) 99
 Paced disassembly line 378
 Palladium (Pd) 40, 42, 64, 66
 Paper 31, 46, 48, 49
 Parallel assembly 120
 Parallel cut-set 180
 Parallel disassembly 147, 241
 Parallel operation 16, 89
 Parallel sequence 16, 138, 139, 149
 Parallel state 135
 Parallelism, maximum 261, 274, 296, 301–302
 Parent subassembly 16, 89, 124, 125, 132, 167, 228, 294
 Part (*see* Component)
 Partial counter 321
 Partial flow variable 311, 321
 Partially ordered disassembly precedence graph 207, 209
 Partition 127
 k -partition 128, 146
 Partly stable 275
 Path
 closed directed 259
 disassembly 15, 232, 236
 PBDE (polybrominated diphenylether) 66, 67
 PC (personal computer) 45, 50, 52, 61–66, 331, 351, 384–385
 notebook 50, 78–80, 82, 85
 PC (polycarbonate) 42, 85
 PCB (polychlorinated biphenyl) 41, 67
 PCB (*see* Printed circuit board; PWB)
 PE (polyethylene) 42, 99
 Peeling 90
 Penalty factor 308
 Pendant node 264
 Perfect balance 378
 Peripheral component 155, 265
 Peripheral devices 50
 Peripheral module 265
 Permutation 217–218
 PERT (*see* Project evaluation and review technique)
 Petri net 14, 287, 293–296, 308
 disassembly 293
 Pheromone 389, 391
 Phone (*see* Telephone)
 Phosphor(escent) (*see* Fluorescent)
 Photocopying machine (*see* Copier)
 Physical level 11
 Physical programming (*see* Linear physical programming)
 Physical relationship 272
 Place 293
 Plastics 42, 47, 56, 59–67, 85
 additives in 30, 66, 67
 engineering 6, 109
 Platinum (Pt) 42, 64
 Point contact 245
 Pole 270
 Polygon, spherical 233
 Polyhedral convex cone 233, 234
 Polyhedron 229, 299
 POM (polyoxymethylene) 42
 Postconsumer processing (*see* Recovery)
 Power supply 44, 60, 63
 PP (polypropylene) 99
 Precedence diagram 120
 Precedence graph 120–122, 170, 173, 206–219, 255, 313,
 disassembly 327–329
 Precedence matrix
 disassembly 214, 253–255, 384
 Precedence relationship 8, 78, 89, 120, 121, 168, 169, 201, 250, 329, 378, 384, 385
 automatic detection of 238
 connection-oriented 170
 Precious metals 9, 40, 42, 65
 Preference index, structural 263
 Preparation 343–344
 Preparation cost 343
 Preparatory disassembly task 15
 Press fit 76
 Price 41, 42
 Primary material 28, 100
 Primitive level 10
 Primitive table 172, 173, 174
 Principal direction of motion 234, 240
 Principal disassembly direction 234
 Principle of optimality (*see* Bellman's principle)
 Printed wiring board (PWB) 6, 43, 50, 53, 60–66, 85, 86
 Printer 45, 61, 93
 Probabilistic evolutionary algorithm 389, 391
 Probability 389

Subject Index

415

Process 25
 Process industries 32
 Process-oriented approach 11
 Process waste 26, 27, 46
 Product 14
 complex 4, 31–37, 73
 electric 46, 50, 59–67
 electronic entertainment 40, 45, 50, 110
 electronic 46, 50, 59–67
 mechanical 46, 81, 84, 95, 222, 263
 unconstrained 126, 130
 Product level 10, 11
 Product life cycle 24–28
 conceptual 25
 physical 25
 Product-oriented approach 11
 Product-process chain 18, 23–29, 35
 Product responsibility (*see* Product stewardship)
 Product stewardship 28
 Product type 332, 343, 350
 Product waste 26, 41, 46–54
 Production process 26, 27
 Profit 102, 105
 Profit function 102–106, 365
 Profit rate 106–108
 Profit variable, total 343
 Project evaluation and review technique (PERT) 120
 Proper disassembly task 15
 Protection, *see* Safety
 Pruning 169, 170, 289
 Prying out 91
 PS (polystyrene) 42, 99
 Pseudo algorithm 383, 387, 392
 Pseudomatrix, connection 246
 Pseudo operation 297
 Pulling 90, 91
 PUR (polyurethane) 56, 57
 Purity 36, 41, 304
 PVC (polyvinyl chloride) 31, 42, 67, 99
 PWB (*see* Printed wiring board)
 Pyramidal numbers 164

Q

Quadruple factorial numbers 140, 164
 Quality achievement 364
 degree of 360
 Quality of incoming products 374
 Quantity of components in incoming products 374
 Quasi-component 15, 77, 87, 194
 Query 169, 170, 175–177

R

Range is better 357, 363
 Raw material 26, 27, 29
 Ray 236
 Reachability 167
 Reassembly 17
 Recollection 32, 344
 efficiency 30
 Recovery 18, 26, 28
 Recovery efficiency 30, 84
 Recovery rate (*see* Recovery efficiency)
 Recursive relationship 134, 138, 149–151, 160
 Recycling 9, 18, 98
 Recycling capacity 349
 Recycling efficiency 48, 99, 101, 110, 111, 350
 Recycling loop 29, 100
 Recycling plant 38–40, 344
 Recycling revenue 364
 Reduced connection diagram 87
 Reduced disassembly precedence matrix 254
 Reduced surface adjacency graph 246
 Reduced tree 175–176
 Reduced obstruction component matrix 254
 Redundancy 169, 257–258, 289
 of selection rules 185, 213
 Refrigerator 45, 50, 52, 53, 60, 108
 Refurbishing 18, 98, 344
 Regulation 25, 101
 Relay 64, 67, 230
 Reliability 373, 376
 Reliable connection 271
 Remanufactured engine 110
 Remanufacturing 18, 32, 98
m-Removability 229
 Reorientation 89, 90, 228
 Repair 7, 17, 32, 119, 302
 Reprocessing 37, 40
 Resale 350, 359, 364, 368
 Resources 101
 Restricted approach 167
 Return on investment (ROI) 106
 Reuse 9, 17, 98, 348
 Revenue 41, 98, 102, 105, 298
 recycling 364
 Revenue metrics 98–101
 Revenue vector 321
 Reverse assembly 174, 278
 Reverse disassembly 168, 171
 Reverse logistics 336
 Reverse method 188–190, 193, 197
 Reversibility 90
 Reversible connection 271
 Reversible operation 15
 Reverted ordering 216

416 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

Revisiting work-piece (RWP) 375
 Rework 17
 Rhodium (Rh) 64
 Rigid body approach 167
 Rigid connection 275
 Rivet 76, 77, 91
 Robot 5, 96, 171
 Robot level 10
 Robot-operated disassembly line 9, 91, 93
 Robustness 377
 ROI (*see* Return on investment)
 Root 18, 142, 332–336
 Rotational motion 236, 248, 276
 Rubber 33, 47, 56, 57, 61, 85
 Ruthenium (Ru) 64
 RWP (*see* Revisiting work-piece)

S

Safety 92, 96
 SAN (styrene-acrylonitrile) 99
 Sandwich structure 6
 Satellite node, *see* pendent node
 Satisfice 341
 SC (*see* Screw) 75, 77, 91, 309
 Scientific management 4
 Scrap 42
 electric/electronic 52, 53, 59, 60
 metal 6
 prices 40–44
 Screen glass 63, 65
 Screw (SC) 75, 77, 91, 309
 Phillips 92
 Seal connection 76, 77
 Seam fold 76, 77, 90
 Search space 393
 Secondary material 28–30, 35–36, 39, 51,
 100–101
 Segner numbers 160
 Selection rule 168, 191, 213, 214, 254
 automated derivation 237–239
 combined 200
 connection-oriented 173
 indirect 237
 subassembly-oriented 179
 Selective disassembly 16, 36, 56, 109, 341, 375
 Selective dismantling 32
 Selenium (Se) 30, 64, 67
 Self-skipping workpiece (SSWP) 375
 Semidestructive operation 16, 92
 Semireversible operation 16
 Sensitivity analysis 13
 Separability 95
 Separability index 234
 Separation 17, 33
 eddy current 17, 33, 109, 110
 electrostatic 33
 laser 33
 magnetic 17, 33, 109, 110
 materials 9
 Separation direction vector 227, 232
 Separation efficiency 40
 Sequence
 complete 156, 158
 disassembly 8, 16, 96, 102, 103, 310
 incomplete 150–151, 156, 158
 sequential 16, 133, 136, 148
 Sequence-dependent cost 308–313
 Sequence-independent cost 289–308
 Sequence space 216
 Sequence, parallel 16, 138, 139, 149
 Sequencing
 assembly 8
 disassembly 12
 Sequencing assertion 170
 Sequential approach (*see* Sequential method)
 Sequential disassembly 121, 310
 Sequential method 133, 185–188, 190, 191, 197
 Sequential operation 16, 89, 195, 327
 Sequential sequence 16, 133, 136, 148
 Serial sequence (*see* Sequential sequence)
 Service 14
 Service-oriented approach 230–239, 262
 Servo level 10
 Set 73
 orthogonal 167
 Set partition 127
 Set theory 171
 SF (*see* Snap fit connection)
 Shipping (*see* Transportation)
 Short tour 315, 319, 323
 Shredder fluff (*see* Shredder residue)
 Shredder light fraction (*see* Shredder residue)
 Shredder residue 17, 33, 36, 45, 47, 56, 61, 62,
 99, 110
 automotive 9, 49, 56, 57, 110
 Shredding 9, 17, 33, 109
 Shredding costs 44
 Shrink fit 76, 91
 SI (*see* Smoothness index) 378–379
 Silicon (Si) 64, 66
 Silver (Ag) 40, 42, 63, 64, 66
 Simon, Herbert 341
 Simulated annealing 12, 273, 313
 Simultaneous engineering 6
 Single-component disassembly 375
 Sink 314
 Skipping work-piece (SWP) 375
 Slag 17, 34, 36

Subject Index

417

- Slaughterhouse 3, 4, 7, 376
- Small white goods 45, 50, 52, 53
- Smaller is better 357, 363
- S-matrix (*see* Succession matrix)
- SMD (*see* Surface mounted device)
- Smith, Adam 4
- Smoothness index (SI) 378–379
- SMT (*see* Surface mount technology)
- Snap fit connection (SF) 75, 77, 91, 309
- Sodium (Na) 66
- Soft class 356–357
- Soft constraint 169
- Software, embedded 6
- Solder 76, 77, 91
- Solid waste 46
- Sorting 17, 33, 344
 - automated 33
 - manual 33
- Source 314
- Space 367
- Spacer 77
- Spaghetti diagram 125
- Spare parts 109
- Speed, line 374, 383
- Spherical coordinates 234
- Spherical polygon 233
- Spring 75, 77, 91
- Spring connection 75
- SSWP (*see* Self-skipping work-piece) 375
- Stability 121, 167, 262
- Stability analysis 228, 269–271, 274–279
- Stability-directed graph 276–278
- Stability index 263, 277
- Stability matrix 276–278
- Stable 261, 271, 274–279
 - partly 275
- Stainless steel 42, 60, 62
- Standard, industrial 4
- Staple 75, 77
- Star configuration 143–145, 148, 149, 151, 152, 164
- State 102, 294
 - connection 124, 126–128, 144, 162
 - empty 175
 - final 16, 127, 156, 290, 295
 - initial 16, 295
 - intermediate 128
 - parallel 135
 - subassembly 124, 126, 127, 144, 162
 - transition 129, 130
- State diagram 124, 130, 134–135, 137, 138, 146–147, 149, 151, 156–157, 176, 290
 - component-oriented 123, 124
 - connection-oriented 124, 289
- State of Petri net 294
- State shift 294
- State shift matrix 293–294
- Static component 139
- Static subassembly 89, 90, 133, 277
- Steel 49, 57, 109
 - stainless 42, 60, 62
- Stirling, James 127
- Stirling number of the second kind 127, 137, 160, 161, 163
- Storage 25
 - costs 44, 344
- Stove 45, 59
- Strictly lower triangular matrix 87, 88, 153
- Strictly upper triangular matrix 87, 88, 153
- String configuration 143–149, 152, 164
- Strongly connected 125, 126
- Strontium (Sr) 63, 67
- Structural preference index 263
- Structure-based approach 261
- Subassembly 15, 121, 126, 127
 - child 90
 - dynamic 90, 133, 277
 - feasible 192, 198–199, 205
 - minimum 255
 - parent 16, 89, 124, 125, 132, 167, 228, 294
 - static 89, 90, 133, 277
- Subassembly assertion 170
- Subassembly cost 291
- Subassembly-oriented approach 170, 178–183, 262
- Subassembly-oriented selection rules 179
- Subassembly state 124, 126, 127, 144, 162
- Subgraph 128
- Suboptimum 12, 300–301, 341
- n*-Subsequence 327
- Subset 15, 152
- Subset rule 169, 176–178
- Subtask 4
- Subtour, *see* Short tour
- Succession matrix 321, 327
- Super-component 122, 170, 203, 231
- Superset rule 169, 176–179
- Surface
 - free 230, 245
 - mated 230
- Surface adjacency graph 245
 - reduced 246
- Surface level 11
- Surface mount technology (SMT) 62
- Surface mounted device (SMD) 6
- Surface-oriented analysis 227
- SWP (*see* Skipping work-piece)
- SSWP (*see* Self-skipping work-piece)
- Symmetric TSP 314
- Systematic approach 7, 8

418 Disassembly Modeling for Assembly, Maintenance, Reuse, and Recycling

T

Tabu list 382, 389
 Tabu search 12
 Tailing 46
 Take back (*see* Recollection)
 Tantalum (Ta) 64, 66
 Target component 256
 Target value 342
 Task 11, 308
 disassembly 89, 374, 377
 Task allocation 4
 Task level 10
 Task planning 206
 Task precedence graph, directed 313–314
 Taylor, Frederick Winslow 4
 Taylorism 4
 Technical constraint 156, 167, 168, 173, 183–185
 Technosystem 24
 Telecommunication products 52
 Telephone 6, 50, 62
 Tentative module 262, 267
 Terbium (Tb) 64
 Ternary disassembly operation 131, 132, 208
 Testing 32
 Tetrahedral numbers 164
 Textile, *see* Fabric
 TFT (*see* Thin film transistors)
 Thin film transistors (TFT) 54
 Three-dimensional (3-D) 170, 202–206
 Time
 disassembly 95, 96, 97, 105, 378, 384
 idle 378, 379, 382, 384
 Tin (Sn) 30, 64, 66, 67
 Tires 57, 58
 Titanium (Ti) 64, 67
 Toaster 60, 230, 267–269
 Token 294
 Tool 15, 91–92
 Tool exchange 89, 90, 96
 Tool positioning 96
 Topological constraint 155, 156, 167
 Total profit variable (TPR) 343
 Totally ordered disassembly precedence graph
 207, 209
 Tour 386
 long 317–318
 neighboring 386–387
 short 315, 319, 323
 Toxicity 100
 TPR (*see* Total profit variable)
 Trail (*see* Pheromone)
 Transformation 25
 Transformer 51, 60, 63–65
 Transition 293

Transition matrix 294, 297, 312, 321
 Transition state 129, 130
 Transitive 212, 213
 Transitive closure 278
 Translational motion 236, 248
 Transportation 25
 Transportation costs 44, 344
 Transpose 154
 Traveling salesman problem (*see* Traveling salesperson problem)
 Traveling salesperson problem 289, 314–315, 391
 constrained asymmetric 313–314
 modified 319
 symmetric 314
 Tree
 Bourjault's 123, 173, 175, 330
 disassembly 122–123, 175
 hierarchical 18, 19, 92, 94, 142, 330–336, 350
 reduced 175–176
 Tree configuration 143, 151
 Tree structure matrix 333
 Triangular matrix 153
 strictly lower 87, 88, 153
 strictly upper 87, 88, 153
 Triangular numbers 163, 164
 TSP (*see* Traveling salesperson problem)
 TV set 45, 52, 53, 61, 143
 Two-commodity network flow problem 320–323
 Two-dimensional (2-D) 154
 Typewriter 5

U

Uncertainty 9, 95, 110, 331
 Unconstrained product 126, 130
 Undirected graph 86, 216, 245
 Uninterruptible power supply (UPS) 44, 60, 63
 Unit 271
 Unit circle (*see* Gaussian circle)
 Unit sphere (*see* Gaussian sphere)
 Unlocking 90
 Unreliable connection 271
 Unstable 275
 Upgrading 30, 31
 UPS (*see* Uninterruptible power supply)
 Utility function 353, 356

V

Vacuum cleaner 50, 60
 Valuable materials 36, 51
 Value is better 357



Subject Index

Vanadium (V) 64
 Variability 374
 Variable cost 93, 97
 Video equipment 60
 Virgin (*see* Primary)
 Virtual component 77, 245
 Virtual connection 15
 Virtual destruction 239
 Virtual node 314
 Virtual prototype 5
 Visual inspection 227
 Volume 367

Weld 76, 77, 91
 White goods 50, 52, 59, 60, 62
 large 50, 52, 53, 62
 small 45, 50, 52, 53
 Whitworth, Sir Joseph 4
 Wire (*see* Cable)
 Wood 33, 49, 56, 60–62
 Work element 390
 Work analysis (*see* Work measurement)
 Work measurement 4, 95–97
 Working fluid 49, 56, 57, 59, 61, 109, 110
 Work-piece 374
 Workstation 7, 11, 12, 373, 377, 379, 384, 387

W

Warehouse 367
 Washer 77, 91
 Washing machine 45, 50, 60
 Waste 46
 construction 46, 47–49
 demolition 46, 47–49
 exportation 41
 hazardous 34, 37, 45, 104, 305
 industrial 36, 74
 municipal 34, 36, 45–47
 process 26, 27, 46
 product 26, 41, 46–54
 solid 46
 Weakly connected 142, 143, 146, 152, 172, 263
 Weight factor 101, 268, 342, 353
 Weighted connection diagram 95, 262–263

X

XOR-relationship (*see* Exclusive OR relationship)
 X-pattern 211

Y

Yield matrix 333
 Yield vector 333
 Yttrium (Y) 64, 67

Z

Zero operation 156
 Zinc (Zn) 30, 42, 56, 63, 64, 66, 67



