

---

## *Index*

---

2-opt 287, 288, 291, 293

### **A**

a priori data 267, 270, 271, 273, 297, 305  
absolute technical importance rating (ATIR) 131, 133–135  
abundance 20, 218  
accumulation 20–22, 282, 426  
activity modeling 45, 46  
actor 9, 41, 42, 54, 56, 82, 114  
acquisition 93, 102, 103, 225, 232, 234, 291, 385, 445, 446, 449, 452, 453, 455, 457, 458, 461–465, 466, 510  
adaptability 347, 415, 430  
adaptation 16, 62, 64, 66, 67, 69, 102, 356, 368, 392, 408, 422, 442  
adaptive disassembly process planning 363, 375  
adaptive kanban 314, 329  
adaptive learning 375, 378, 379  
adjacent element hill climbing (AEHC) 236, 238, 240, 242, 274, 285, 287–290  
after-sale product condition monitoring 92  
aggregation 2, 11, 16–18  
analytic hierarchy process (AHP) 105, 110, 115–118, 197, 205, 212, 214  
analytic network process (ANP) 107, 110, 205, 207, 208, 212, 214, 386  
ancillaries 22–24, 28  
AND relationship 125, 129, 260, 262, 337, 338, 377  
AND/OR 335, 337, 338, 359, 386  
ant colony optimization (ACO) 236, 238, 239, 241, 274, 280–285, 292, 293, 306, 308, 332, 334, 337, 340, 347, 349, 350, 352–355, 360, 361  
ant system (AS) 238, 280, 286, 307, 308, 357, 358, 360, 361  
ant-cycle model 238, 280  
anthropogenic activity 4, 14, 20  
approximation algorithm 238, 259

arc 18, 19, 240–242, 260, 280–284, 335, 368, 369  
architecture 45, 58, 61, 65, 68, 74, 75, 77, 93, 103, 236, 274, 277, 375, 376, 422  
as-good-as-new 458, 460, 462  
assembly 25, 26, 48, 49, 55, 58, 64, 73, 74, 84, 86, 101, 118, 229–231, 237, 239, 243, 245, 249, 250, 256, 259, 278, 306–309, 312, 313, 316, 328, 329, 332–339, 343, 351, 356–361, 365, 371, 391, 416, 423, 424, 474, 510  
assembly line balancing 239, 256, 259, 278, 306–309, 343  
asset management 459, 496, 497  
attitude 3, 139, 140, 219, 223, 237, 455, 457, 458, 466, 524  
automotive 222, 388–391, 411, 446, 449, 456–458, 466, 468, 474  
autonomous barrier 521

### **B**

backlog cost 477, 483  
Basel Action Network (BAN) 500, 506  
Basel convention 498, 499, 501, 503  
Bayesian forecasting 223, 224  
Bayesian updating 105, 110, 124–129, 212  
beginning of life (BOL) 225  
benchmark data set 267, 296  
bill of material(s) (BOM) 96, 97, 227, 230, 231, 335, 336, 338, 340, 389  
binary NP-complete 257  
binomial distribution 425, 486  
bin-packing problem 259, 285, 288, 294  
biosphere 12, 19, 42  
black box 18, 21, 375  
Blauer Engel 81  
blockage 248  
Boltzmann function 352  
Borda score 155, 161, 167, 168, 175, 181, 182  
Borda's choice 106, 110, 154, 156, 161, 162, 167–169, 175, 181, 212

- brainstorming 517
- branch-and-bound (B&B) 115, 239, 293
- buffer 246–248, 314, 315, 318–324, 327, 468
- bullwhip 217, 219, 233, 234
- burning 491, 492, 498, 501, 502
- buy-back 449, 460, 463, 464–466, 470
- by-product(s) 9, 16, 23, 42, 46, 49, 140, 332
  
- C**
- CAD/CAM 227
- capacity constraint 391, 398
- capacity planning 112, 113, 214, 225, 231, 232, 431, 448, 468
- carpet 110–112, 212, 213
- cascading 28
- case-based reasoning (CBR) 226, 245, 309
- case study 114, 212, 213, 229, 233, 235, 236, 261, 278, 279, 284, 290, 329, 379, 385, 445, 459, 467, 469, 470
- cash flow 197, 512
- cathode ray tube (CRT) 244, 491, 493, 499, 501, 502
- cell phone 235, 236, 261, 262, 265, 266, 290, 432, 447, 493
- certification 81, 417, 418
- chance-constrained linear program 432, 442
- chemical transformation 21
- child 277, 345
- China 491, 492, 498–500, 503, 504, 506
- chip-in-crate 224, 234
- chromosome 241, 276, 277, 280, 331, 343–345, 352, 357
- classification 15, 521
- cleaning 27, 64, 111, 249, 419, 423, 426, 459, 475
- closed loop 10, 49, 50, 213, 223, 470, 515
- closed loop supply chain (CLSC) 105, 109–111, 113, 114, 136, 138, 139, 148, 149, 154, 155, 168, 185, 189–191, 194, 197, 198, 202, 205, 208, 212, 214–224, 226–228, 231, 232, 234, 288, 410, 467, 469, 470
- closing the loops 9
- Club of Rome 3, 6, 30
- cluster analysis 455
- clustering 234, 445, 455
- coherence 22
- collection center(s) 106, 109–111, 118, 139, 141, 149, 154–156, 158–162, 168–175, 185–189, 192–194, 212
- combinatorial 276
- combinatorial algorithm 307, 309
- combinatorial analysis 335
- combinatorial optimization 235, 238, 239, 250, 256, 259, 274, 278, 281, 284, 290, 292, 297, 306–308, 333, 347, 348, 350, 361, 422, 440
- combinatorial search 308
- combinatorial solution 348
- combining evidence 105, 126
- commonality 361, 390–392, 399, 407, 411, 451
- competence 40, 365
- competition 16, 81, 107, 108, 238, 363, 449, 457, 470
- complete disassembly 126, 248, 250, 251, 323, 338, 380, 393, 394, 402
- complex AND/OR 338, 386
- component design 70
- component kanban 318, 319, 321–323
- component production 25, 26
- computer recycling center (CRC) 496
- conceptual design 59, 421
- conceptual product life cycle 24
- concurrent engineering (CE) 35, 53, 83–87, 89, 101, 359, 360
- consistency ratio (CR) 116, 119
- construction waste 111
- consumer electronic (CE) 80, 84, 103
- consumption process 1, 23, 24
- convenience 149, 155, 162
- convergent flow 237
- convertibility 430
- cooperation 3, 149, 509, 514, 515, 518, 519, 521
- copier (photocopier) 91, 92, 114, 213, 218, 229, 230, 388, 446, 450, 459, 460
- core procurement costs 389
- cores 388–397, 399–402, 404, 406, 407, 409
- corrective decisions 222
- correlation matrix 452, 455
- cost-benefit function 197, 199
- cost minimization 112, 213, 402, 471

- crossover 238, 276–278, 293, 331, 344, 345, 352
- crossover rate 242, 278, 293
- cross-tabulation 226
- cultural change 512, 513
- customer relationship management (CRM) 215, 220, 225, 226, 231, 233
- customer service 118, 121, 139, 141, 232, 313, 317
- customizability 430
- cycle time 224, 239, 240, 248, 466
  
- D**
- data gathering 40, 509, 517
- data logging 225, 227
- data translation 40
- data transmission 92
- deadlock 335
- decision-making 73, 103, 105–107, 109, 110, 121, 156, 161, 163, 168, 172, 175, 177, 181, 182, 190, 205, 212–214, 218–221, 233, 293, 306, 308, 365, 367, 368, 375, 376, 385, 410, 447, 455, 459, 460, 462, 464, 509, 514, 518, 519, 521, 522
- decision matrix 137, 144–147, 151–153, 158–160, 165, 166, 172, 173, 179, 180
- decision tree 197, 226
- defuzzification 124, 376
- delay time 239
- demand driven disassembly 359, 389, 390, 410
- demand fluctuation 311, 316
- demand measure 254, 255, 258, 268, 282, 300, 301, 303, 306
- demand symmetry 407
- demanufacturing 308, 386, 471, 513, 515
- dematerialization 5, 6, 9, 12, 30, 31, 63, 89
- dependent barrier 516, 521
- depletion 1–3, 6, 42, 128, 332, 364, 388, 428
- depth of disassembly 331, 333, 337–339, 344
- design for assembly 74, 84, 335, 357
- design for disassembly (DFD) 74, 77, 82, 85, 86, 88, 97, 101, 139, 140, 211, 334, 336, 358, 360–362, 492, 496, 505
- design for environment (DFE) 33, 35–41, 50, 53, 73, 74, 78, 79, 82, 83, 85, 87, 88, 336, 496, 509, 510, 512, 514, 515, 518–520
- design for maintainability 73, 86
- design for manufacturability 74
- design for product retirement 74, 77, 86, 359, 469
- design for recovery 74, 227
- design for recycling 74, 86, 139, 140, 211, 362, 469, 492, 505
- design for reliability 74
- design for remanufacturing 74, 83, 139, 140, 211, 448, 467
- design for robustness and quality 74
- design for serviceability 74, 77, 84, 87
- design for variety 74
- design for X (DFX) 34, 35, 52, 53, 59, 72–77, 83–85
- design-centered model 75, 76
- design parameter 60, 68–71, 74, 83, 444
- detail design 57–59, 61, 72, 73, 75–77
- deterministic yield 387, 391, 392, 406
- development process planning 55–57, 59
- diagnosibility 430
- differential evolution 112
- direct precedent 248
- direct reuse 64, 68, 69
- directed graph (digraph) 18, 21, 259, 282, 348, 349, 368, 517, 520, 521
- direction measure 255, 256, 269, 282, 294, 300, 301, 304, 306
- directive 81, 82, 86, 505, 524
- disaggregation 18, 24, 25, 28
- disappearing workpiece (DWP) 235, 244, 247
- disassemble-to-order (DTO) 98, 389, 391, 392, 410, 411
- disassembly diagram (DAD) 259, 335
- disassembly direction 249
- disassembly line balancing problem (DLBP) 235, 236, 238–242, 250–252, 254–259, 261, 262, 265, 267, 270, 271, 273–290, 293–308, 329, 337, 350, 360
- disassembly optimization model (DOM) 335
- disassembly Petri net (DPN) 335
- disassembly planning 101, 239, 332, 334, 335, 337, 359, 360, 365, 367, 370, 373, 374, 385, 386, 390, 391, 409, 410, 448

- disassembly precedence matrix (DPM) 335, 340
  - disassembly sequence 96–98, 101, 237, 238, 251, 274, 276, 279, 285, 308, 314, 318, 323, 324, 329, 333, 334, 336–340, 354, 358–361, 364, 373, 374, 378, 384–386, 469
  - disassembly sequencing 101, 239, 262, 307, 308, 314, 329, 331, 333, 334, 336–338, 341–343, 345, 346, 348, 351, 353, 359, 360, 386
  - disassembly time 97, 117, 118, 139, 185, 198, 244–246, 280, 321, 323, 325, 366, 371, 372, 375–377, 382, 384
  - discharge 8, 17, 19, 21, 24–27
  - dismantling 26, 28, 88, 231, 332, 333, 335, 336, 360, 365, 366, 496, 499, 501, 505
  - disorder 3, 4
  - disposal 7, 10, 26–28, 34, 35, 37, 38, 41–43, 45, 47–52, 59–62, 74, 77, 81, 82, 91–94, 96, 98, 99, 101, 107, 109, 112, 149, 156, 185, 187, 189, 192, 194, 195, 198–202, 214, 223, 312, 315, 335, 340, 351, 353, 356, 364, 390, 393, 394, 399, 402, 403, 446, 450, 469, 475, 478, 479, 488, 489, 491–498, 500, 501, 504–506
  - disposal cost 98, 107, 185, 187, 189, 192, 194, 195, 198–202, 214, 340, 351, 353, 356, 390, 393, 394, 399
  - distributed autocatalytic process 280
  - disturbances 43, 365, 386
  - divergent flow 237
  - divide and conquer 238
  - downcycling 28
  - downgrading 245
  - downtime 100, 250
  - dual BOM 230, 231
  - dumping 335, 491, 492, 498, 501
  - durability 34, 36, 65, 66, 451
  - dynamic layout 420, 421, 431, 441, 443, 444
  - dynamic programming 197, 238, 239, 257, 488, 489
- E**
- e-waste (electronic waste) 491–494, 496–500, 502–504, 506, 507
  - early leaving workpiece (ELWP) 98, 235, 245, 246
  - ECMPRO (environmentally conscious manufacturing and product recovery) 474
  - eco-industrial park 12, 13, 16
  - ecodesign 3, 14, 15, 37, 84, 87, 88
  - ecological economics 1, 4, 13, 30
  - EcoMark 81
  - economic life 65, 219
  - ecoregion 16
  - ecosphere 19, 42–44, 46–49, 60, 82
  - ecosystem 1, 2, 8–12, 14, 15, 17–22, 25, 26, 28, 31, 38, 39, 83, 510
  - edge (arc) 240–242, 260, 280, 281, 284, 287, 349, 520
  - eigenvalue 115, 116, 118–121
  - eigenvector 105, 110, 115, 116, 118, 121, 154, 156, 158, 162–164, 212
  - electronics industry 330, 360, 456, 457, 466, 492, 493, 506
  - electronics recycling 114
  - ELIMA 225
  - embedded device 93, 102
  - embedded sensors 91–93, 95, 98–101
  - embodiment design 57, 58, 72, 75, 76
  - emission(s) 2, 4, 6, 23, 24, 38, 40, 42–44, 46–51, 60–62, 64
  - end-of-life (EOL) 34, 40, 49, 61–65, 67–69, 71, 74, 87, 92–98, 100, 101, 103, 202, 214–216, 219, 225, 226, 233, 308, 311–316, 323, 327, 328, 330, 333–335, 341, 351, 361, 364, 386, 414, 444, 448, 459, 464, 465, 470, 496, 503, 506, 507
  - end-of-pipe 8, 15, 27, 515
  - energy consumption 60–62, 64, 82, 114, 388, 449
  - energy crisis 6
  - energy cycle 20
  - energy efficiency 36, 40, 61
  - energy flow analysis 2
  - Energy Star 81
  - Entropy 3, 30
  - environmental accounting 40, 52, 512
  - Environmental Choice 81
  - environmental consciousness 6, 138, 149, 155, 162
  - environmental economics 4, 7, 15
  - environmental efficiency 34, 35, 60, 67, 70, 73, 77, 78
  - environmental health and safety (EHS) 444, 512

- environmental impact 5, 11, 17, 27, 33, 35, 37–39, 42–45, 47, 51, 61, 62, 68, 78, 79, 82, 114, 336, 361, 388, 503
- environmental labeling 78, 81, 84
- environmental management systems 5, 78, 79, 179, 510, 514, 523
- environmental performance 38, 39, 41, 62, 73, 77–79, 510, 513, 515
- environmental standards 34, 78, 492
- environmentally conscious design (ECD) 37, 84, 86–89, 139–142, 208–211, 360, 469, 524
- environmentally conscious manufacturing (ECM) 39, 40, 85, 101, 139, 140, 142, 143, 208–211, 307, 308, 329, 334, 357–359, 410, 411, 467, 468, 470, 473, 484, 488, 489, 509–516, 518, 519, 521–524
- environmentally conscious process design 39
- ERP (enterprise resource planning) 226, 230
- European Union 81, 82, 86, 414, 447, 505
- evolutionary economics 3
- exergy 22
- exhaustive search 236, 238, 267, 274–277, 290–292, 294, 297, 298, 305
- exploding workpiece (EWP) 235, 248
- exponential growth 3, 274, 298, 305
- exponential smoothing 223, 224
- exponential time 238, 256, 259, 274
- export 491–494, 498–500, 503, 506
- extended producer responsibility (EPR) 81, 82, 467, 471, 491, 503, 504
- extent analysis 107, 110, 205–209, 212
- external integration 53
- external procurement cost 390, 393, 400, 406
- external recovery 50
- extraction 17, 19, 21, 24–26, 28, 35, 37, 49, 62, 218, 232, 237, 238, 333, 338
- extrinsic properties 25
- F**
- failure rate based forecasting 224
- final tour 282
- firing 369, 373, 378
- first-fit-decreasing (FFD) 285–287, 294
- fitness 122, 238, 240, 276, 277, 343, 346–348, 353, 354, 360
- fixed cost 113, 117, 118, 139, 141, 202
- fixed horizon 421
- flexibility 39, 98, 108, 139, 140, 231, 232, 264, 389, 415, 421, 422, 430, 431, 440, 442, 444, 474
- flexible kanban system (FKS) 313, 329
- flexible manufacturing system (FMS) 357, 361, 362, 365, 386, 431, 441, 442
- flow diagram 20–22
- flow shop 256, 357, 361
- food chain 16
- food pyramid 16
- forecasting 30, 215, 221, 223, 224, 226, 227, 231, 234, 524
- forward supply chain 109, 113, 117, 118, 138, 186, 191, 198, 199, 216, 217, 226, 228
- full assembly (FA) 338, 339, 351
- functional defect 244, 248
- functional life 65
- functionality 34, 36, 38, 45, 54, 58, 73, 291, 293, 374, 415, 423, 430, 431
- furnish rate 323
- fuzzy attributed Petri net (FAPN) 363, 370, 371, 373–375
- fuzzy disassembly optimization problem (FDOP) 331, 333, 334, 337–339, 354
- fuzzy goal programming 392
- fuzzy logic 105, 110, 121, 124, 126, 128, 130, 132, 133, 136, 138, 139, 149, 150, 168, 169, 172, 175–177, 197, 208, 212, 238, 354, 361, 370, 376
- fuzzy logic controller (FLC) 338, 341, 342
- fuzzy Petri net (FPN) 363, 365, 375, 377–380, 386
- fuzzy set theory 197, 340, 341, 365, 370
- G**
- Gaussian function 377
- gene 276, 277, 345
- genetic algorithm (GA) 112, 226, 236, 238–240, 274–279, 291–293, 306–309, 331, 334, 336, 337, 343, 344, 347, 352–354, 357, 358, 360, 361, 386, 440

geometric mean 115  
 geosphere 42  
 Germany 81, 102, 103, 213, 309, 357, 467,  
 469, 470, 474, 507  
 global cycle 10  
 global management 1, 8  
 goal programming (GP) 106, 110, 190,  
 191, 194, 197, 212, 250, 251, 392  
 gold 316, 493, 497, 499, 501, 502  
 greedy 231, 238, 241, 250, 267, 274, 282,  
 284–290, 292, 306, 308, 329  
 green engineering design 37  
 green image 113, 462  
 green indicator 37  
 Green Seal 81  
 gross energy requirement (GER) 5, 15

## H

hazard measure 250, 253, 258, 268, 282,  
 297, 299, 301, 303  
 hazard rating 241, 287  
 hazardous part 241, 249, 250, 253, 254,  
 258, 260–262, 271, 284, 286, 290, 300,  
 301, 356  
 hazardous substance 82, 514  
 health risk 2  
 hill climbing 236, 238, 239, 250, 259, 276,  
 288, 289, 306  
 H-K heuristic 236, 238, 239, 274, 290–306  
 holding cost 390, 396, 400, 415, 426, 471,  
 477, 483, 487  
 holistic 35, 42, 110  
 horizontal disaggregation 28  
 household appliance 312, 315, 316, 493  
 human factors 363–367, 371, 373, 380,  
 384, 386  
 human operator 365, 366, 376, 377, 379, 386  
 hunter-killer search (H-K) 238  
 hybrid heuristic 236, 274, 289, 290  
 hybrid layout 415, 416  
 hydrosphere 19

## I

ICT (information and communication  
 technology) 80, 84, 469  
 IDEF0 421

idle time 238, 239, 241, 242, 246, 247,  
 250–252, 256, 258, 267, 279–281,  
 285–288  
 IEEE 1451 95, 103  
 image 113, 446, 462, 510, 512, 515  
 incineration 28, 390, 495, 498  
 incomplete disassembly 227, 248, 261,  
 269, 333, 338, 409  
 independent barrier 516, 521  
 India 81, 357, 386, 445–447, 449–451,  
 453, 457–460, 462, 466, 470, 492, 499,  
 504, 506  
 indirect precedent 248  
 industrial dynamics 13  
 industrial ecology 1, 2, 7–17, 19, 28–31,  
 36, 83, 85, 86, 102, 233, 524  
 industrial ecosystem 8, 9, 39, 83, 510  
 industrial metabolism 1, 2, 7, 9–15, 17,  
 18, 23, 24, 28, 29, 84  
 industrial symbiosis 1, 2, 9, 13, 16, 28  
 information enabling methods 215,  
 221–223, 231, 232  
 inhalation 502  
 innovation 11, 34, 35, 38, 55, 56, 65, 81,  
 82, 233, 332, 492, 498, 499, 512,  
 514, 523  
 input-output analysis (IO analysis) 4,  
 30, 31  
 inspection 96, 113, 114, 229, 230, 377, 381,  
 391, 416, 423, 426, 459  
 integer programming (IP) 107, 110, 113,  
 114, 194, 196, 212, 391, 399  
 integrability 430  
 integrated product development (IPD)  
 33, 50, 52–54  
 integration 12, 16, 33, 37, 52–54, 59, 63,  
 69, 70, 74–76, 86, 87, 226, 358, 359, 422,  
 430, 469, 512–515  
 interchangeability 451  
 intermediate item 389, 390, 393–395,  
 397, 398  
 internal integration 53, 54  
 internal recovery 50  
 International Society for Industrial  
 Ecology (ISIE) 14  
 interpretive structural model (ISM)  
 445, 460–463, 509, 511, 516, 517,  
 519–522, 524  
 intrinsic properties 25

inventory management 311, 316, 448,  
461, 476, 481, 488  
investment 12, 24, 107, 110, 112, 114,  
198–200, 202, 219, 224, 496, 512, 513  
ISO 14000 5, 78, 79, 81, 510, 524  
ISO 14040 5, 45, 78–80, 86, 513  
ISO/TR 14062 78–80, 86

**J**

job shop 98, 314, 357, 360, 416, 422, 444  
joint 140, 334, 335, 338–340, 344, 351, 356  
just in time (JIT) 314, 329, 330, 489

**K**

Kalman filtering 223  
kanban 311–314, 318–323, 326–330, 488  
knapsack problem 257, 399, 410

**L**

labor cost 156, 162, 366, 371, 372, 384,  
389, 498  
labor intensive 317, 364, 389, 415, 449,  
459, 496  
Lagrangian heuristics 113, 336  
landfill 108, 111, 115, 214, 237, 262, 312,  
332, 335, 363, 364, 388, 390, 409, 475,  
492, 493, 495, 498  
larger-is-better 182, 183  
lead time 112, 140, 213, 219, 222, 313, 364,  
391, 393, 396, 425, 430, 431, 468, 474, 488  
leaf items 394, 395, 398  
learning module 367, 375, 376, 378, 379  
legal life 65  
legislation 8, 15, 78, 219, 231, 236, 332,  
364, 388, 448, 455, 457, 458, 466, 474,  
498, 503  
lexicographic goal programming 250, 251  
life cycle assessment (LCA) 1, 5, 10, 14,  
15, 29–31, 34, 40, 51, 53, 78–80, 84–88,  
102, 513–515, 518, 519, 521, 524  
life cycle cost 85, 89, 100, 101  
life cycle cost analysis (LCCA) 52, 53,  
83, 86

life cycle design (LCD) 35, 52, 53, 57, 59,  
60, 73, 82–84, 86, 88, 102  
life cycle engineering 52, 85–89, 102, 359  
life cycle management 2, 92, 94, 96, 99,  
101, 103, 234, 341  
Likert scale 451  
line efficiency (LE) 252  
line speed 243  
linear chain 21  
linear integer programming 107, 110,  
194, 196, 212  
linear physical programming (LPP)  
106, 110, 182, 184, 185, 189, 190, 212,  
214  
linear programming (LP) 113, 213, 238,  
293, 359, 399, 402, 409, 410, 442  
linguistic values 105, 121, 122, 133,  
135, 207  
linkage barriers 521, 522  
lithosphere 19–21  
local optimization 238  
LPP weight algorithm 184, 189  
LRP (layout and re-layout program)  
422, 442

**M**

machinery 55, 93, 141, 198, 202, 453,  
456–458, 466  
macroeconomics 4  
MAD hunting circle 291  
magnetic anomaly detector  
(MAD) 291  
maintenance 35, 52, 61–64, 66, 67, 69, 74,  
86, 91–94, 96, 97, 99–101, 103, 132, 141,  
216, 220, 221, 226, 228, 230, 232–234,  
307, 313, 329, 359, 386, 426, 460  
Malthusianism 1–3  
management support 509, 511, 512, 518,  
519, 521  
manufacturability 73, 74, 226, 229, 448,  
451, 465, 466  
manufacturing industry 10, 25, 493  
marketing strategy 106, 110, 138, 148,  
149, 151, 152, 154, 212, 462  
Markov chain (MC) 473, 475, 481  
Markov decision process (MDP) 473,  
475, 481, 489

- Markov model 475, 476  
 material resource 39, 43, 45, 47, 49, 61, 63, 64  
 materials cycle 2, 10, 19–21, 29  
 materials flow 12, 21, 23, 24, 316, 319, 320  
 materials flow analysis 11, 28, 31  
 materials handling 416, 421  
 materials production 25, 26  
 McGovern-Gupta measure of balance 252, 306  
 membership function 122, 123, 342, 343, 370, 372, 377–379, 381, 382, 384  
 metaheuristic 236, 238, 280, 284, 291, 293, 300, 306, 308, 333, 347, 349, 351  
 method of total preferences 105, 110, 130–132, 212  
 middle of life (MOL) 225  
 miniaturization 92  
 mixed integer programming 113, 114  
 mixed-model lines 239  
 modularity 69, 75, 77, 237, 332, 336, 415, 430, 469  
 modus ponens 342  
 modus tollens 342  
 monitoring 63, 91–94, 96, 99–103, 140, 222, 225, 227, 228, 230–232, 266, 450, 498  
 Moore's law 492  
 motivation 155, 236, 291, 365, 387, 458, 460  
 MRP system 223, 231, 449  
 multi-criteria decision making problem 103, 251, 308, 385, 392, 410  
 multidisciplinary 2, 7, 11, 53, 471  
 multi-input multi-output 18  
 multikanban system (MKS) 311, 313, 317, 326–328  
 multi-period problem 392, 393, 401, 408  
 multiple-input-single-output (MISO) 341  
 multiprocessor scheduling 240, 241, 257, 258  
 mutation 238, 242, 276–278, 293, 331, 343–345, 352
- N**
- negative-ideal solution 136–138, 147, 153, 160, 166, 173, 174, 180  
 neighborhood 259, 275, 288, 346–348  
 neo-Malthusianism 1–3  
 neural network 106, 110, 168–171, 175–178, 212, 223, 226  
 next-fit (NF) 294  
 nominal grouping 517  
 nondestructive disassembly 28, 239, 474  
 nondeterministic polynomial (NP) 257, 333  
 nongovernmental organization (NGO) 6  
 Nordic Swan 81  
 NP-complete 257–259, 267, 306–308  
 NP-hard 256, 259, 333, 336, 350, 398, 399  
 $n$ -tuple 240, 250, 281  
 nuclear transformation 21, 22
- O**
- object 18  
 obsolescence 36, 64–66, 493, 504  
 oil crisis 5, 6  
 open loop 50  
 operational cost 114, 139, 141  
 operational decision 108, 219  
 operations research 212–214, 238, 306, 307, 410, 411, 442, 444, 468, 470, 471  
 opposing evidence 105, 125  
 OR relationship 260, 262  
 ordered sequence 250  
 ore mining 6  
 original equipment manufacturer (OEM) 94, 96, 99, 222, 227, 228, 445, 459, 460, 462–466, 493, 498  
 out-of-date cost 477, 482, 483, 487  
 overhaul method 230, 231
- P**
- paced line 243  
 packaging 5, 24, 49, 61, 114, 140, 224, 361, 503, 507  
 parent 276–278, 344, 345  
 part recovery 333  
 partial disassembly 248, 396, 474  
 particle swarm optimization (PSO) 331, 334, 347, 348, 352, 354

- penalty 112, 296, 400, 407, 420
- perfect balance 252, 267, 270, 390
- performance aspects 105, 131–134
- personal computer (PC) 235, 236, 239, 242, 261, 263, 279, 312, 324, 328, 329, 447, 467, 506
- Petri-net (PN) 335, 359–361, 363, 365, 368, 370, 375, 385, 386, 391, 411
- pheromone 240, 242, 280, 284, 292, 293, 349, 350, 353
- physical defect 244, 248, 251
- physical flow 14, 15, 17–20, 82, 216
- physical IO analysis 4
- physical life 65–67
- physical life cycle 11, 48, 49
- physical model 44
- physical product life cycle 24
- physical transformation 20, 21
- planning horizon 110, 114, 222, 296, 392, 409, 420
- Poisson-binomial model 425
- pollution 7, 29, 30, 43, 81, 108, 111, 140, 162, 237, 249, 415, 501, 503, 504, 523
- pollution prevention 1, 6–8, 12, 27, 30, 81, 84, 507
- polynomial 240, 257, 258, 333, 398
- pool of solutions 276
- positive feedback 280
- postconsumption secondary resource 48, 50
- postdesign planning 55–57, 59
- potentiality 138–141, 188, 193
- precedence-constrained asymmetric TSP 336, 361
- precedence preservative crossover (PPX) 277, 278, 344, 345
- precedence relationship 238, 239, 244, 246, 249, 251, 262–266, 290, 315, 323, 324, 328, 331, 334, 338, 340, 349, 386
- preconsumption secondary resources 48
- preference order 138, 148, 154, 160, 167, 174, 181
- preventive maintenance 313, 329
- price collecting traveling salesman problem 336
- primary material 26, 28
- primary resources 47
- proactive 37, 38, 103, 215, 220–223, 231, 232, 402, 403, 503, 510
- problem specification 57, 72, 75
- process data management 215, 228
- process flow diagram 22
- process industries 5, 7, 8, 23, 25
- process integration 16
- process layouts 415, 416
- process waste 23–25, 28
- processing cost 107, 110, 113, 186, 191, 194, 195, 198, 199, 201, 373
- product configuration 114, 325
- product data management 215, 227, 230
- product development 33, 34, 37, 41, 50–57, 59, 60, 65, 75–78, 84, 86
- product family 243
- product flow 22, 422–424
- product layout 58, 415, 416
- product life cycle 24, 28, 33, 41, 42, 44, 48, 50, 51, 60, 61, 78, 82, 83, 85–88, 91–93, 96, 99, 101, 102, 224, 225, 227, 232, 233, 332, 341, 364, 388, 446, 449, 473, 481, 482, 503
- product life cycle management (PLM) 92, 101, 341
- product-process graph 22
- product recovery 85, 93, 98, 101, 212–214, 223, 225, 227–229, 231, 233, 234, 237–239, 307, 312, 314, 316, 329, 332, 358, 390, 410, 411, 446–448, 450, 467–471, 474–476, 478–481, 488, 506, 523
- product specification 59, 94
- product structure 196, 323, 361, 374, 388, 401, 403, 411
- product-system 33, 41–47, 62, 79, 81, 82
- product type 185, 186, 191, 192, 195, 199, 217, 315
- product waste 24, 25, 500
- production ramp-up 56, 57, 75, 77
- profitability 107, 149, 388, 400, 407, 408, 414, 449, 455, 457, 458, 463, 466, 494
- project definition 55, 57, 59
- PROMISE 225
- prototyping 56, 57, 59, 75, 77, 336
- pseudopolynomial time algorithm 257, 259
- public participation 106, 148–151, 154
- pull system 311–314, 317, 318, 326–328, 440, 449, 462, 474, 488
- push system 312, 313, 317, 326–328, 449, 474

**Q**

quadratic assignment problem 267, 350, 360, 442  
 qualitative model 491, 495  
 quality function deployment (QFD)  
 105, 110, 130–133, 212  
 queuing model 112

**R**

radio frequency identification (RFID)  
 92, 95, 97, 98, 221, 222, 224, 225, 233  
 random search 331, 334, 336, 337, 342, 346, 354  
 range-is-better 182, 183  
 raw materials 7–9, 22, 23, 25, 26, 35, 37, 38, 59, 61, 64, 109, 128, 140, 185, 191, 237, 239, 312, 317, 364, 414–417, 446, 450, 505  
 reachability matrix 509, 516–520  
 reactive kanban 314, 330  
 real time 92, 93, 225, 228, 231, 232, 290, 328, 343, 351, 367, 368, 375, 376, 431  
 reassembly 27, 64, 114, 389, 423, 425, 461, 462, 468  
 reconfigurable 413, 430, 431, 435, 441–443  
 recourse model 392, 402, 404, 406, 409  
 recoverability index 465  
 recovered quality parameter 338, 339, 341, 342, 354  
 recovery rate 140, 225, 312, 462–465, 477, 479–481  
 recovery value 338, 351  
 recycler 42, 114, 464, 465, 492, 494, 497–499, 507  
 refrigerator 218, 225, 233  
 refurbishing 26, 27, 249, 388, 450, 476, 482, 491, 496, 497, 500, 505  
 registration, evaluation and authorization of chemicals (REACH)  
 514, 523  
 regulation 9, 17, 34, 41, 77, 81, 82, 84, 92, 97, 108, 112, 118, 139, 141, 312, 430, 459, 474, 497–499, 507, 510, 514  
 relative technical importance rating (RTIR) 131, 133, 135  
 remanufacture-to-order 387, 389

remote monitoring center (RMC) 91, 93, 94, 96, 97, 99, 101  
 renewable energy 4, 6  
 Repair 27, 64, 491, 504  
 replacement life 66–68  
 request rate 323  
 reservoir 18–20  
 residuals 12, 23, 27, 237, 239, 318  
 residual heat 22  
 resource reduction 63, 495  
 responsive 36, 215, 220–222, 231, 232, 414  
 retirement 34, 35, 41, 48–50, 55, 59, 61, 74, 75, 77, 86, 359, 469  
 return constraint 391, 392, 401  
 return flow 111, 112, 217, 219, 449  
 return rate 111, 219, 467  
 returned product 114, 216, 217, 223, 228–230, 232, 237, 243, 333, 337, 365, 388, 414, 415, 417, 423, 425, 426, 431, 433, 434, 436, 438–441  
 reuse 6, 9, 27, 28, 40, 48, 49, 64, 65, 67–69, 74, 82, 86, 92, 93, 101, 102, 107, 111, 140, 187, 189, 191, 195, 198–200, 216, 225, 233, 237, 245, 249, 307, 312, 329, 332, 333, 335, 359, 362, 364, 367, 370, 375, 414, 416, 423, 446, 463, 465, 467, 468, 474, 488, 491, 494–497, 500, 502, 504–507, 510  
 revenue 106, 107, 186, 187, 189, 191, 194, 195, 198–202, 204, 234, 337, 366, 367, 370–377, 379, 382–384, 390–392, 400, 409, 414, 464  
 reverse logistics 12, 15, 29, 30, 110–112, 212–214, 233, 364, 385, 386, 388, 410, 411, 414, 446–448, 453, 455, 457–459, 466–471, 488, 489, 491, 494, 495, 505–507, 524  
 reverse production chain 27  
 reverse supply chain 109, 110, 112, 114, 115, 117, 138, 149, 151, 155, 175, 198, 199, 213, 414, 443, 467, 470, 515  
 revisiting work-piece (RWP) 235, 247, 248  
 REVLOG 447  
 reward 252–254, 475, 476, 481, 509, 513, 518, 519, 521  
 rework 414, 423  
 rolling horizon 421

- r*-opt heuristics (also 2-opt) 287, 288, 291–293
- routing 311, 313, 318, 319, 322, 326–328, 350, 357, 364, 415, 422, 448, 467
- rules based system 226
  
- S**
- safety 7, 34, 73, 231, 430, 442, 444, 497, 506, 512, 523
- safety stock 423, 449, 470
- Sankey diagram 20
- scalability 430
- scheduling problem 240, 241, 256, 278, 306, 343, 357
- scoping 40
- scrap 38, 219, 414, 424–426, 464, 465, 493, 506
- search space 251, 257, 267, 273, 280, 285, 291, 292, 296, 306, 344, 347
- second law economics 4
- secondary product 28
- secondary resources 47, 48, 50
- second-hand market 312, 316, 450, 452, 457
- selective operability 415
- self-organization 16
- self-skipping work-piece (SSWP) 98, 235, 246
- semifinished product 22
- sensing 95, 215, 220, 224, 225, 230, 231, 376, 386
- sensor embedded product (SEP) 91, 93–96, 99–101
- separation cost 391, 400
- separation distance 138, 147, 148, 154, 160, 166, 167, 174, 180, 181
- service area parameter 338, 339, 341, 342
- service effectiveness 465
- service index 465
- service operations 66, 223, 228, 230, 232
- serviceability 73, 74, 77, 84, 85, 88, 97, 99, 335
- shipping 49, 58, 61, 416, 426
- shortest path 239, 349
- sigmoid function 342
- simulated annealing (SA) 238, 292, 331, 334, 336, 346, 347, 352–354, 356, 359, 362, 440, 443
- simulation 46, 88, 91, 99–101, 112, 113, 198, 213, 224, 227, 313, 324, 329, 385, 386, 413, 421–423, 425, 431, 441, 442, 522
- single period problem 392, 395, 400, 407, 409
- skipping workpiece (SWP) 98, 235, 246, 247
- smaller-is-better 182, 183
- smoothness index (SI) 252
- social life 65
- socioecological system 36
- solder 492, 501, 502
- solid waste 23, 84, 363, 467, 507
- sorting 27, 111, 216, 223, 227, 238, 242, 277, 286, 389, 459, 475
- spaceship Earth 3, 29
- standardization 24, 78, 79, 233, 336, 451
- starvation 247, 248
- static 20, 22, 45, 94, 96, 99, 380, 382, 383, 468
- station time 239, 242, 245
- Stichting Milieukeur 81
- stigmergic communication 349
- stochastic yield 387, 392, 401, 407, 408, 410
- stochastic programming 111, 431, 432, 434, 436, 441, 444
- stochastic programming with recourse (SPR) 432, 435–438, 440
- stochastic plant layout 420, 444
- strategic decision 219, 365
- streamlined LCA 51, 88
- string (also chromosome) 331, 343–346, 349
- stripping 491, 502
- strongly connected 259
- structural self-interaction matrix (SSIM) 460, 509, 516–518
- subassembly kanban 318, 319, 321–323, 325, 326
- subsystem 17, 18, 24, 45, 58, 77
- super matrix 207, 208, 210, 211
- supply chain design 105, 107, 109, 110, 115
- supply chain management 213, 233, 386, 388, 413, 414, 444, 448, 468, 470, 524
- supply chain operation 108

supply chain planning 108, 223, 233  
 supporting evidence 105, 124, 125  
 sustainable development 4, 8, 83  
 symbiosis 1, 2, 9, 13, 16, 28  
 synergetics 3  
 system design 68, 112, 212, 365, 385, 421  
 systems approach 7, 10  
 systems boundary 18  
 systems theory 1, 17, 18

## T

tabu list 283, 286, 347, 348, 350, 352  
 tabu search (TS) 286, 292, 307, 331, 334,  
 336, 347, 348, 352–354, 358, 362, 440,  
 442  
 tabu-type list 280, 294  
 tactical decision 219  
 Taguchi's orthogonal array 352, 353,  
 486, 487  
 take back 102, 113, 229, 329, 414, 446, 449,  
 450, 459, 466–469, 474, 500, 503, 514  
 technique for order preference by  
 similarity to ideal solution (TOPSIS)  
 105, 110, 136–139, 142, 144, 145, 149,  
 152, 154, 156, 158, 161, 162, 164,  
 167–169, 172, 174, 175, 177, 179, 181, 212  
 technological life 65  
 technosystem 1, 9, 10, 17–19, 21, 24–26,  
 28, 29  
 terminator box 261  
 testing 27, 56, 57, 75, 77, 216, 223,  
 227–229, 251, 252, 377, 419, 422, 423,  
 425, 426, 464, 475  
 thermodynamics 3, 4, 18, 22, 30  
 three-level hierarchy 118  
 throughput 117, 139, 185, 186, 243, 422  
 time-based competition (TBC) 332, 357  
 time of residence 20  
 tire rethreading 218  
 token 369, 370  
 tool change 249  
 total idle time 238, 241, 251  
 total materials requirement (TMR) 4  
 total preferences (method of) 105, 110,  
 130–132, 212  
 total quality environmental  
 management (TQEM) 510, 512, 514  
 toxicity 17, 515

Toyota production system (TPS) 311,  
 317, 328  
 trading 491, 499, 507  
 traditional kanban system 313  
 trail 240, 241, 280–284, 292, 349  
 transitivity 516  
 traveling salesman problem (TSP) 267,  
 280, 282, 284, 287, 307, 336, 343, 350,  
 353, 357  
 tree network model 336, 391  
 triangular fuzzy number (TFN) 105,  
 122, 123, 128, 129, 133–135, 141, 142,  
 144–148, 150–154, 169, 172, 176, 178,  
 205–208  
 triangular membership function 342, 343  
 type A defect 244  
 type B defect 244

## U

U.S. Environmental Protection Agency  
 (EPA) 81, 84, 86, 88, 363, 414, 444, 467,  
 473, 498, 500, 501, 505–507  
 unary NP-complete (NP-complete in  
 the strong sense) 257, 306, 308  
 uncertain evidence 105, 125  
 undiscounted Markov decision process  
 (UMDP) 473, 475, 481, 483, 487  
 unique identification code (UIC) 95, 96  
 unit operation 23, 24, 30  
 universe 18, 30, 122, 342, 377  
 unlocking 26, 28  
 unpaced line 243  
 upgradability 491, 504  
 upgrading processes 1, 24, 27, 28  
 useful life extension 34, 62, 63, 66, 67, 71  
 user friendliness 73  
 U-shaped disassembly line 243, 337, 357

## V

valuable product/part/material 23, 237,  
 238, 332, 363, 496, 499, 501, 502  
 value-is-better 182, 183  
 vendor 425, 514, 524  
 verification and validation (V&V) 265, 274  
 vertical disaggregation 24, 25  
 virgin material 10, 28, 49, 50, 64, 108, 409

virgin resources 47, 50  
virtual prototyping 336

**W**

waiting time 327, 328  
warehouse 92, 107, 108, 111, 113–115,  
226, 413, 415–418, 422, 423, 425, 431,  
499, 500

waste electrical and electronics  
equipment (WEEE) 97, 507  
waste management 14, 110, 139, 332, 474,  
497, 503  
waste-mining 9  
weakly connected 259  
wear 64, 415, 423  
weighted moving average 224  
weighting 250, 251, 282  
work elements 250, 286, 294

